

KIRKSVILLE CITY COUNCIL

NEWSLETTER . . .

Mari E. Macomber, City Manager *MEM*

Copies to: City Attorney
Media

December 12, 2008

SUBJECTS:

DATES TO REMEMBER
STUDY SESSION / CITY COUNCIL MEETINGS
HOLIDAY ON MEETING DATES
COMMUNITY SERVICES DIRECTOR
CITY CLERK CERTIFICATION
SUMMARY REPORT FROM CITY/COUNTY MEETING
TIF MEETING
E911 MEETING
SKATE PARK UPDATE
BRASHEAR PARK
AIRPORT UPDATE
HIGHWAY 63 UPDATE
POOL DRAIN COVERS
LPRC EFFORT
FEMA UPDATE
TRAVELERS HOTEL PROJECT
HISTORIC REGISTER
CITY OF KIRKSVILLE HIRES NEW COMMUNITY SERVICES DIRECTOR

DATES TO REMEMBER

12/15 – Council Study Session @ 12:00 p.m.
12/15 – Council Meeting @ 5:30 p.m.
12/16 – First Day of Council Filings
12/16 – Adopt a Child Program @ Fairgrounds @ 6:00 p.m.
12/19 – Check presentation to Maritz 10:00 a.m. at Maritz Office
12/23 – Council KIRX Radio Program @ 9:35 a.m.
12/25 – Christmas – City Hall Closed
12/26 – Christmas Holiday – City Hall Closed
1/1 – New Years Day – City Hall Closed

STUDY SESSION / CITY COUNCIL MEETINGS

December 15 Study Session will be at 12:00 p.m. in the second floor conference room. The Council Meeting will be that evening at 5:30 p.m.

HOLIDAY ON MEETING DATES

There are two upcoming holidays that will fall on regular City Council meeting and work session dates - January 19 - Martin Luther King Holiday; and February 16 - President's Day

Holiday. Would the Council like to reschedule those meetings to the following Tuesday, that being January 20 and February 17? Please be thinking about what you would prefer, so that proper notification can be made.

COMMUNITY SERVICES DIRECTOR

The City received 27 resumes for the Community Services Director position. Interviews were held the first week of December. After completing the interviews and checking references, I am pleased to announce that I have selected Melani Smith to serve as the Director. Melani moved to Kirksville with her husband about six months ago. She is originally from Sturgeon Missouri. She has a degree in Parks and Recreation and Tourism. Included for your information is a press release that will be issued this evening. Melani will be at the Council meeting to meet each of you this evening and will begin her duties with the City on January 5.

CITY CLERK CERTIFICATION

The current City Clerk, Vickie Brumbaugh, has worked toward and achieved the designation of a Certificate Municipal Clerk through the International Institute of Municipal Clerks, and in 2003, she was accepted at the entry level of Master Municipal Clerk Academy; and also acquired the Missouri Registered City Clerk designation through the Missouri City Clerks and Finance Officers Association. Both programs offer levels of achievement with opportunities for City Clerks to continue their education by attending International, State, Regional and Division meetings. The International and State conferences provide college credits that count toward the educational points necessary to acquire these designations. To continue in the Academy, an application is due in 2009 for the Master Municipal Clerk designation, outlining continued education and professional achievements.

SUMMARY REPORT FROM CITY/COUNTY MEETING

Incoming Commission members were in attendance. Council received an update on the work to be done on the Courthouse. The consultants have completed phase 1 of the evaluation. The Council emphasized the importance of the humane society for both the City and County operations. County Commissioners made no promises, but said they would consider it. Commissioner Jones stated that the shelter takes animals from out-of-state and was not comfortable with this practice. Jackie Eaton with the Adair County Humane Society stated that this was incorrect that the shelter does not take animals from out-of-state. The County was informed about the question Frank Oberle is raising concerning a possible promise that if the law enforcement tax passed, the County would give an additional \$75,000 to the E911 Center.

TIF MEETING

The TIF Commission met this week and heard a presentation from Jim Grice, attorney representing Raul Walters Properties. Mr. Grice outlined the project for the Commission and explained that Raul Walters is looking at two funding components. The first is the creation of a transportation improvement district that would allow the property owners to add an additional sales tax on all goods sold within the district's boundaries. The funds generated from the additional tax would go toward improvements to the property. The second funding proposal is tax increment financing. The Commission members in attendance were supportive of the project, but noted that one member not in attendance expressed opposition to the project. TIF generates money by capturing the increase of both property tax (100%)

Through excellence in service, the City of Kirksville will provide responsible and ethical local government.

and sales tax (50%) over the base amount determined at the time the TIF is established. One of the components proposed by Raul Walters was support for the school district by providing the school district 50% of the increase giving the project the other 50%. Glenda Hunt, who represents the other taxing districts, has asked that Raul Walters consider providing the same benefit to the districts she represents. These include the Adair County Library, Adair County Health Department, Twin Pines and Senate Bill 40. Attached to the Newsletter is information given to the Commission from Raul Walters.

E911 MEETING

The E911 Joint Service Board approved the budget for 2009. The Board discussed the funding issue raised by Frank Oberle and agreed to invite him to a future meeting. Jim Hughes was given the task of pursuing funding options, one of which includes a ½ cent or ¼ cent sales tax for E911 operations. It was agreed that a joint meeting with the City and County will need to be held to explore the support for this prior to the cut-off for ballot items for the April election. The deadline for ballot issues is January 27.

SKATE PARK UPDATE

The work on the skate park itself is complete. We have been checking on all other aspects of the park to make sure that we are in compliance. Our insurance provider MIRMA has stated that we will lose evaluation points if we do not have a fence. In addition, both MIRMA and Suburban Rails have stated that there should be no bikes on the park. With these items in mind we will work toward installing a fence this spring to minimize our liability and to keep the park from being damaged. There are other details that we will have to work out on the park. For example, since there are no lights we can not have the skate boarders out there using car lamps or other types of lights not designed for this use, we will have to make sure the rules are followed and once a fence is installed, we will have to work out who will secure the fence after hours, etc. We will be planning an opening ceremony in the near future. I have included a copy of a letter received from one young person to Santa. In the letter the child is asking for a skate board to use at the new skate park.

BRASHEAR PARK

The new playground equipment has been installed at Brashear Park and the old set was taken down by the City of Brashear with help from Public Works Street Division. The new equipment is age specific and not intended for older children. The next playground set budgeted for in 2009 is intended for the next age level. We are going to be soliciting bids soon for this equipment so we have it installed for spring time use.

AIRPORT UPDATE

We are completing the final work on the airport marketing plan. Council is being asked to approve the KTVO agreement. A jingle for the radio programs is being finalized this week. We have submitted information to the Small Communities Airport grant to determine if they will support the purchase of an electronic sign. Included with this Newsletter is the confirmation letter from MoDOT concerning the marketing support that we will be receiving from them. This support will also include the completion of a airline service and needs study. Passenger numbers for the airport are included.

HIGHWAY 63 UPDATE

Included with this Newsletter is a map drawn by one of the property owners, whose property will be affected by the Alternate Route Project. The property owner is trying to determine if there is another way to construct the route without splitting off a portion of his property. I had invited the Council to a meeting with MoDOT in November, Mayor Rowe was able to attend. I have meetings scheduled with MoDOT to receive updates on a monthly basis for the next 6 months. It is my understanding that the Missouri Highway and Transportation Commission had advised staff to work with the property owners. The City Council had also stated their interest in trying to make sure the impact on the affected property owners was minimized. Would the Council like an update meeting with MoDOT at a Study Session in January?

POOL DRAIN COVERS

The City has been working on an issue that was brought to our attention several months ago. Based on federal legislation, Virginia Graeme Baker Pool and Spa Safety Acts, pools are required to have certain types of drain covers to reduce the possibility of entrapment, either of a limb or hair in the drains of pools and spas. We have a dual drain system on our pool, and have received different responses to what needs to be done. We had been advised that we do not need to comply with the law by one source, but the firm that designed our pool has advised us to move forward with compliance, though in their opinion it would be difficult for someone to become trapped in our pool drains. Because our drains are not a typical size, we are going to have to have drain covers fabricated by an authorized company to insure appropriate certification that the drain covers meet the required federal guidelines. This will take some time to accomplish. A summary of the Act is included in this packet

LPRC EFFORT

The chairman of LPRC, Marsha Jones has asked that the Board develop ideas and goals that can be agreed upon by the board for the upcoming year. Their assignment: **Identify a list of 3 to 4 projects, programs or services that you would like explored or developed. Realize that the City's resources are limited, but good ideas can be achieved through support and commitment. So focus your list on the things that you would be willing to champion and support. Bring these with you to the January 6 meeting. We will compile the list and prepare to begin our discussion of each at our February meeting.**

FEMA UPDATE

The following is what we have submitted to FEMA for the flooding that occurred in within the city limits. These are the expenses that the city incurred and do not reflect the claims submitted by business and residents. We will learn later whether or not any of these will be refunded.

Here are the dollar amounts for FEMA 1773 DR MO June 1-Aug. 13 Flood event July 24 and 25, 2008

KVL1	\$6,987.40	Fire & Police Emergency Protective Measures	Category B
KVL2	\$3,085.30	Public Works Emergency Protective Measures	Category B
KVL3-1E	\$7,383.58	Police Department Flooding	Category E
KVL3-2E	\$5,274.00	Fire Department Flooding	Category E
KVL4	\$1,326.55	Corner Boundry St & W Patterson	Category F
KVL5	\$3,386.69	Emmett, Lincoln, Patterson, Green, Dear	Category C
KVL6	\$2,513.09	Culvert and Road Shelter Elson St & Atlas, Laurel	Category C
KVL7	\$5,488.17	Wastewater Plant Equipment	Category F
KVL9	\$1,000.00	Public Works truck	Category E

Through excellence in service, the City of Kirksville will provide responsible and ethical local government.

Total \$36,444.78
75% total \$27,333.58

TRAVELERS HOTEL PROJECT

The Travelers Hotel Project has been approved by the Missouri Housing Development Commission this past Friday. We have already been in contact with the developer and have a meeting scheduled for early January. As a reminder, the City Council entered into an agreement with Carlson Gardner to give them land on the west side of the hotel to be used for a parking lot. In return, the developer will implement the design standards used for other downtown parking lot improvements.

HISTORIC REGISTER

Cole Woodcox, who is now serving on the City's Historic Preservation Commission has had another success with the Missouri Advisory Council on Historic Preservation. Mr. Woodcox reported that the Council unanimously voted to have the Dr E. Sanborn Smith House on East Patterson Street in Kirksville placed on the National Register of Historic Places. They will now forward the application to the National Parks Service in Washington D.C. who will review the application and have the final word on it. In general, NPS takes its cue from the state Advisory Council. Mr. Woodcox is confident that the building will be recognized and added to the National Register.

Attachments

- Press Release Community Services Director
- Sales Tax Report
- Building Permits October and November
- Santa Letter
- MoDOT Letter of Award
- Airport Passenger Numbers
- Map Drawn by Charlie Donaldson–
- Virginia Graeme Baker Pool and Spa Safety Act
- Humane Society Report

SALES TAX COLLECTIONS BY FISCAL YEAR
One-Cent General Sales Tax

	FY 04/05	FY 2005 (9-month)	FY 2006	FY 2007	FY 2008	2008 YTD Growth/Loss Comparison to			
						2007	2006	2005	04/05
January	179,410.83		185,123.44	201,467.60	180,902.81	-10.21%	-2.28%	0.83%	N/A
February	67,108.84		96,634.04	181,920.03	204,890.74	12.63%	112.03%	205.31%	N/A
March	306,530.87		322,180.50	261,636.75	241,502.73	-7.70%	-25.04%	-21.21%	N/A
April	176,521.54	195,655.59	214,395.10	208,545.59	219,903.17	5.45%	2.57%	12.39%	24.58%
May	65,360.86	59,159.40	42,975.59	78,334.89	132,002.16	68.51%	207.16%	123.13%	101.96%
June	301,897.06	308,001.22	332,297.08	325,352.21	253,028.44	-22.23%	-23.85%	-17.85%	-16.19%
July	186,538.96	190,611.14	219,132.32	284,843.75	220,972.61	-22.42%	0.84%	15.93%	18.46%
August	70,760.18	66,012.88	84,424.76	90,815.59	148,541.83	63.56%	75.95%	125.02%	109.92%
September	301,195.71	311,884.76	313,225.26	339,353.59	279,431.55	-17.66%	-10.79%	-10.41%	-7.23%
October	193,208.43	219,075.90	212,575.62	198,332.97	222,179.31	12.02%	4.52%	1.42%	14.99%
November	63,603.21	129,776.12	71,710.31	104,648.03	140,078.56	33.86%	95.34%	7.94%	120.24%
December	309,266.07	253,015.27	309,706.14	315,420.19	235,788.79	-25.25%	-23.87%	-6.81%	-23.76%
TOTAL	\$2,221,402.56	\$1,733,192.28	\$2,404,380.16	\$2,590,671.19	\$2,479,222.70	-4.30%	3.11%	8.44%	N/A

Through excellence in service, the City of Kirksville will provide responsible and ethical local government.

The following is a listing of new construction in Kirksville for the period of October 1, 2008 through October 31 through November 30, 2008:

Date: October 6, 2008
Owner: Nolan Wagner
Use: M/F
Address: 420 W. Filmore (1-11)
Permit No.: 7046
Const. Co.: Self

Date: October 7, 2008
Owner: David Norman
Use: Duplex
Address: 805 S. Sixth (A & B)
Permit No.: 7047
Const. Co.: Self

Date: November 13, 2008
Owner: Clay Construction
Use: S/F
Address: 2900 Weatherstone
Permit No.: 7057
Const. Co.: Self

Date: November 13, 2008
Owner: Brent Martin
Use: S/F
Address: 813 W. Friedman
Permit No.: 7058
Const. Co.: Self



For Immediate Release

December 16, 2008

For More Information Contact:
Cherie Bryant
Asst. to the City Manager
(660) 627-1224

CITY OF KIRKSVILLE HIRES NEW COMMUNITY SERVICES DIRECTOR

(Kirksville, MO) -- The City of Kirksville announces Melanie Smith as the new Community Services Director. Smith, who replaces Steve Bell, will report to work January 5th, 2009. Smith graduated from the University of Missouri – Columbia in 1998 with a Bachelor of Science in Parks, Recreation and Tourism. Smith's previous positions include Project Officer for the Arkansas Department of Parks and Tourism and Special Events Coordinator for the Missouri Department of Natural Resources.

##

Dear Santa,

I would like to have a
Barbie House for Christmas.
I would like to have a guitar.
I would like to learn to play
one. I would like to have
you bring me a microphone.
I would like to have a new
skateboard to use at the
new skateboard park.

From: Rubi

From: _____

Name: Ruby Butler
Kirkville Primary
Mrs. Reese
Address: _____
City: _____
Phone: _____

Missouri
Department
of Transportation



Pete K. Rahn, Director

105 West Capitol Avenue
P.O. Box 270
Jefferson City, MO 65102
(573) 751-2551
Fax (573) 751-6555
www.modot.org



2007 Missouri Quality Award Winner

November 14, 2008

Mr. David Hall
Kirksville Regional Airport
27161 Airport Trail
Kirksville, MO 63501

Dear Mr. Hall:

RE: Kirksville Regional Airport – State Aviation Trust Fund Air Service Grant

Proposed air service improvements including a joint airport air service study and regional air service promotion at the Kirksville Regional Airport have been approved for state aviation trust fund participation in our Statewide Transportation Improvement Program.

Grants are administered on a cost-sharing basis and the state may provide up to 90 percent of the eligible costs on state/local projects. The amount of state funds tentatively allocated for these projects are: \$27,000 for the joint airport air service study and \$45,000 for regional air service promotion. The 10 percent local match for these projects is \$3,000 and \$5,000 for a total project budget of \$80,000.

If you do not have an air service consultant selected for your project, you are hereby authorized to proceed with the selection of an experienced and qualified professional airport consultant in accordance with RSMO Sections 8.285 through 8.291. If you are participating in the joint airport air service study, the consultant selection process is already underway.


As state aviation funds are limited and in high demand, it is critical that the funding for your project is expended and the project completed and closed out in a timely manner. If required, please initiate the consultant selection process for this project immediately. This will allow you to complete this project in 2009. If you feel you are unable to meet the schedule below, please notify our office in writing by December 5, 2008, and we will reallocate these funds to another airport.

The proposed schedule for this work is:

January 2009	Complete consultant selection process
June 2009	Complete joint air service study and regional air service promotion

We look forward to working with you to achieve the satisfactory completion of these projects. If you have any questions or need further assistance, please contact me at (573) 526-7912 or by e-mail at joseph.pestka@modot.mo.gov.

Sincerely,



Joe Pestka

Our mission is to provide a world-class transportation experience that delights our customers and promotes a prosperous Missouri.

Through excellence in service, the City of Kirksville will provide responsible and ethical local government.

Airport Passenger Information

Month	Scheduled Flights	Actual Flights	Deplaned Passengers	Enplaned Passengers	Number of Passengers per Day	Passenger Per Flight
Nov-06	88	82	145	174	10.68	2.78
Dec-06	100	98	140	208	7.32	2.61
Jan-07	108	96	132	135	8.35	2.49
Feb-07	92	87	112	115	9.36	2.73
Mar-07	106	104	123	136	8.35	2.49
Apr-07	102	96	140	122	8.13	2.44
May-07	108	104	114	145	10.29	2.75
Jun-07	102	100	113	131	9.87	2.77
Jul-07	116	116	156	163	7.23	2.07
Aug-07	108	107	157	139	10.74	3.14
Sep-07	110	108	108	116	12.50	3.68
Oct-07	108	106	161	172	10.74	3.14
Nov-07	104	102	187	188	12.50	3.68
Dec-07	104	84	107	135	7.81	2.88
Jan-08	108	94	104	130	7.55	2.49
Feb-08	100	91	48	64	3.61	1.23
Mar-08	100	92	82	75	5.06	1.71
Apr-08	96	92	77	88	5.32	1.79
May-08	110	105	64	87	4.87	1.44
Jun-08	96	86	61	45	3.42	1.23
Jul-08	8	6	12	12	0.77	4.00
Aug-08	94	85	30	41	2.29	0.84
Sep-08	96	96	70	68	4.45	1.44
Oct-08	100	100	89	76	5.32	1.65
Nov-08	90	90	62	68	4.19	1.44

Through excellence in service, the City of Kirksville will provide responsible and ethical local government.

Virginia Graeme Baker Pool and Spa Safety Act

August 29, 2008 CPSC Staff Draft

Technical Guidance on Section 1406:

Minimum State Law Requirements¹

Section 1405 of the Virginia Graeme Baker Pool and Spa Safety Act specifies that the Commission shall establish a grant program for each of fiscal years 2009 and 2010. However, Congress has not yet appropriated funds for this program. When Congress funds this grant program, we will notify the States. To provide assistance to States that may be considering enacting statutes (or amending existing statutes), U.S. Consumer Product Safety Commission (CPSC) staff has prepared this draft guidance document that describes the technical requirements of Section 1406 of the Act.

To be eligible for a grant, as provided for in Section 1405 of the Virginia Graeme Baker Pool and Spa Safety Act, a State, at a minimum, must have the following requirements in place.

1. **Barriers**²

These provisions apply to barriers for use around outdoor residential swimming pools and spas. The provisions are intended to provide protection against potential drowning or near-drowning of young children by restricting access to swimming pools and spas.

1.1 **Fences and/or Walls.** Outdoor swimming pools, such as in-ground, above-ground, or on-ground pools, and spas shall have a barrier (e.g., fence and/or wall) which complies with the following:

1.1.1 The top of a fence or wall used as a barrier shall be a minimum of 48 inches (1219 mm) above grade. The bottom of a fence shall be no more than 4 inches (102 mm) above grade when that grade is a hard surface such as cement/asphalt. The bottom of a fence shall be no more than 2 inches (51 mm) above grade when that grade is a soft surface such as grass or ground/natural surface. All measurements shall be taken on the barrier side farthest from the pool.

¹ These comments are those of CPSC staff, have not been reviewed or approved by, and may not necessarily reflect the views of, the Commission.

² Based on *CPSC Safety Barrier Guidelines for Home Pools*, CPSC Publication No. 362, U.S. Consumer Product Safety Commission, Washington, DC

1.1.1.1 Solid barriers such as brick or rock walls shall have no indentations or protrusions that can provide hand and/or foot holds, other than normal construction tolerances and masonry joints.

1.1.2 For above-ground or on-ground pools, the pool structure itself may serve as a ground level barrier. If the top of the pool structure is less than 48 inches above grade and a barrier is mounted on top of the pool structure, the maximum vertical clearance between the top of the pool structure and the bottom of the barrier shall be 4 inches (102 mm).

1.1.2.1 Where access to an above-ground pool is provided by a ladder or steps, then:

1.1.2.1.1 The steps or ladder shall be designed to be secured, locked, or removed to prevent access, or

1.1.2.1.2 A barrier such as one described in Section 1.1.1 above shall surround the steps or ladder.

1.1.3 Where a barrier (fence) is constructed of horizontal and vertical members, then:

1.1.3.1 If the distance between the top of a horizontal member and ground level is less than 45 inches (1143 mm), the horizontal members shall be located on the swimming pool side of the fence. The spacing between the vertical members shall not exceed 1-3/4 inches (44 mm) in width. Any decorative cutout

Through excellence in service, the City of Kirksville will provide responsible and ethical local government.

spacing within vertical members of the fence shall not exceed 1-3/4 inches (44 mm) in width.

1.1.3.2 If the distance between the top of a horizontal member and ground level is 45 inches (1143 mm) or more, the spacing between the vertical members shall not exceed 4 inches (102 mm) in width. Any decorative cutout spacing within vertical members of the fence shall not exceed 1-3/4 inches (44 mm) in width.

1.1.4 The maximum mesh size for a chain link fence shall not exceed 1-1/4 inches (32 mm) square [1-3/4 inches (44 mm) diagonal]. A larger mesh size may be used if slats fastened at the top or bottom of the fence are used to reduce mesh openings to no more than 1-3/4 inches (44 mm). See Figure A below.

Figure A. Maximum chain link fence opening.

- 1.1.5 For a barrier made up of diagonal members (latticework), the maximum opening between the diagonal members shall not exceed 1-3/4 inches (44 mm).
- 1.2 **Access Gates.** Access gates shall meet the requirements of Section 1.1 (Fences and/or Walls) above and shall be equipped to accommodate a locking device.
 - 1.2.1 Pedestrian access gates shall open outward away from the pool and shall be self-closing and self-latching. A locking device shall be included in the gate design. Where the release mechanism of the self-latching device is less than 54 inches (1372 mm) from the bottom of the gate, the release mechanism and openings must comply with the following:
 - 1.2.1.1 The release mechanism shall be on the pool side of the gate at least 3 inches (76 mm) below the top of the gate, and
 - 1.2.1.2 The gate and barrier shall have no opening greater than 1/2 inch (13 mm) within 18 inches (457 mm) of the release mechanism.
 - 1.2.2 Gates other than for pedestrian access shall be equipped with a self-latching device.
- 1.3 **Dwelling Walls.** For swimming pools or spas where dwelling walls serve as a part of a barrier, one of the following shall be in place:
 - 1.3.1 A door in the wall that provides direct access to the pool shall be equipped with an audible alarm system meeting Underwriters Laboratories Inc. (UL) standard UL 2107 *General-Purpose Signaling Devices and Systems*, Section 77, Residential Water Hazard Entrance Alarm Equipment.
 - 1.3.1.1 The alarm system shall be equipped with a manual means to temporarily deactivate the alarm for not more than 15 seconds.

DRAFT

1.3.1.2 The deactivation means shall be located not less than 54 inches (1372 mm) from the floor or threshold of the door.

1.3.2 A power safety cover that meets the requirements of ASTM F1346 *Performance Specification for Safety Covers and Labeling Requirements for All Covers for Swimming Pools, Spas, and Hot Tubs*.

1.3.2.1 Manual covers for spas shall be used whenever the spa is not in use. Manual safety covers shall meet all the requirements of ASTM F1346.

2. Entrapment Protection/Prevention Devices

The provisions of this section apply to the use of entrapment protection/prevention devices on residential swimming pools and spas. Single suction outlet systems, such as vacuum cleaner systems or multiple suction outlet systems that can be isolated by valves or otherwise, shall be protected against user entrapment. The devices/systems described are intended to provide protection against potential drowning or near-drowning due to suction entrapment.

2.1 Pools or spas constructed on or after December 20, 2008, shall use:

- (A) No submerged suction outlets, a gravity drainage system with ASME/ANSI cover(s), or one or more unblockable outlets; or
- (B) A multiple main drain system without isolation capability with suction outlet covers that meet ASME/ANSI A112.19.8 *Suction Fittings for Use in Swimming Pools, Wading Pools, Spas, and Hot Tubs* and either:
 - (i) A safety vacuum release system (SVRS) meeting ASME/ANSI A112.19.17 *Manufactured Safety Vacuum Release Systems (SVRS) for Residential and Commercial Swimming Pool, Spa, Hot Tub, and Wading Pool Suction Systems* and/or ASTM F2387 *Standard Specification for Manufactured Safety Vacuum Release Systems (SVRS) for Swimming Pools, Spas and Hot Tubs* or
 - (ii) A properly designed and tested suction-limiting vent system or
 - (iii) An automatic pump shut-off system.

2.2 Pools and spas constructed prior to December 20, 2008, with a single submerged suction outlet shall use a suction outlet cover that meets ASME/ANSI A112.19.8 and either:

- (A) A multiple main drain system without isolation capability, or

DRAFT

(B) A safety vacuum release system (SVRS) meeting ASME/ANSI A112.19.17 and/or ASTM F2387, or

(C) A properly designed and tested suction-limiting vent system, or

(D) An automatic pump shut-off system, or

(E) Submerged outlets shall be disabled, or

(F) Suction outlets shall be reconfigured into return inlets.

2.3 **Pool Cleaner Fittings.** Where provided, vacuum or pressure cleaner fitting(s) shall be located in an accessible position(s) at least 6 inches (152 mm) and not greater than 12 inches (305 mm) below the minimum operational water level or as an attachment to the skimmer(s). Side wall-mounted vacuum fittings shall meet the requirements of the International Association of Plumbing and Mechanical Officials pool standard, IAPMO SPS-4 *Special Use Suction Fittings for Swimming Pools, Spas and Hot Tubs* (for suction side automatic swimming pool cleaners).

3. Additional Layers of Protection (not required)

Although not required, states may consider requirements for additional layers of protection to supplement requirements described in Section 1 (Barriers) and Section 2 (Entrapment Protection/Prevention Devices) above.

3.1 **Window Guards.** A window in a wall that allows access to the pool may be equipped with window guards that limit access or be affixed with a childproof device to limit the window opening to less than 4 inches. The window guard shall meet ASTM F2006 *Safety Specification for Window Fall Prevention Devices for Non-Emergency Escape (Egress) and Rescue (Ingress) Windows*.

3.2 **Swimming Pool Alarms.** A pool alarm may be used to provide warning that a pool has been entered. There are pool-based alarms, surface and subsurface, as well as perimeter alarms that monitor the pool area. All alarms shall meet the requirements of ASTM F2208 *Standard Specification for Pool Alarms*.

3.2.1 Surface alarms float on the pool's surface and are activated by waves in the pool. The device shall provide an alarm at the pool and within the residence and shall meet the requirements of ASTM F2208.

3.2.2 Subsurface alarms respond to pressure waves under the water surface, generated by the displacement of water when an object enters the pool. The

DRAFT DRAFT

device shall provide an alarm at the pool and within the residence and shall meet the requirements of ASTM F2208.

3.2.3 Perimeter alarms, used in conjunction with barriers meeting the requirements of Sections 1.1.2 – 1.1.4, shall meet the performance requirements of ASTM F2208.

Note: The Act requires that any state receiving grant funds shall use at least 50 percent of the grant amount to hire and train enforcement personnel for implementation and enforcement of the State’s swimming pool and spa safety law. The remaining money shall be used to educate pool construction, installation, and service companies about the standards and to educate pool owners, operators, and the public about pool safety and drowning and entrapment prevention, as well as to defray any administrative costs associated with training and education programs

ADAIR COUNTY HUMANE SOCIETY

P.O. Box 481

Kirksville, Missouri 63501

December 4, 2008

TO: Kirksville City Manager

FROM: Adair County Humane Society

RE: November Report

Received from City	Dogs	17
	Cats	13
	Puppies	8
	Kittens	7
Reclaimed by Owner	Dogs	5
	Cats	0
	Puppies	0
	Kittens	0
Euthanized from City	Dogs	2
	Cats	10
	Puppies	6
	Kittens	6
Brought to Shelter Dead	Dogs	1
	Cats	2
	Puppies	0
	Kittens	0
	Other	59


Jackie Eaton, Treasurer